



Green Roads

5150 SW 48TH WAY DAVIE
FL, USA 33314
(844) 747-3367
LAURA@GREENROADSWORLD.COM



SAMPLE:D809114-03

METRC/Biotrack#N/A **Harvest/Lot ID: GC2018HB**
Batch#: GC2018HB, Batch Size: N/A -grams
Ordered: 9/27/2018 Sampled:9/27/2018
Completed: 10/2/2018 2:43:54 PM Expires: 10/02/19
Sampling Method: SOP SOP Client Method

Image

Safety



Pesticides - Tested
Microbials - Tested
Mycotoxins - Tested
Heavy Metals - Tested
Terpenes - Tested
Residual-Solvents - Tested
Filt - NT
Water Activity - NT
Moisture - NT

Cannabinoids

| Analyte | Weight(%) | mg/g |
|--------------------|-----------|--------|
| D9-THC | ND | ND |
| THCa | ND | ND |
| TOTAL THC | ND | ND |
| CBD | 98.36 | 983.61 |
| CBDa | ND | ND |
| TOTAL CBD | 98.36 | 983.61 |
| CBN | ND | ND |
| CBDV | 0.15 | 1.48 |
| D8-THC | ND | ND |
| THCV | ND | ND |
| CBG | ND | ND |
| CBGA | ND | ND |
| CBC | ND | ND |
| TOTAL CANNABINOIDS | 98.51 | 985.09 |

Cannabinoids

| | |
|---------------------------------------|-----------------------------------------|
| 0.00% Total THC | 98.36% Total CBD |
| 0.00mg THC/Container | 491.80mg CBD/Container |

98.36

| | | | | | | | | | | |
|--------|------|-------|------|-----|------|--------|------|-----|------|-----|
| ND | ND | 98.36 | ND | ND | 0.15 | ND | ND | ND | ND | ND |
| D9-THC | THCa | CBD | CBDa | CBN | CBDV | D8-THC | THCV | CBG | CBGA | CBC |

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



Green Roads

5150 SW 48TH WAY DAVIE
FL, USA 33314
(844) 747-3367
LAURA@GREENROADSWORLD.COM



SAMPLE:D809114-03

METRC/Biotrack#N/A **Harvest/Lot ID: GC2018HB**
Batch#: GC2018HB, Batch Size: N/A -grams
Ordered: 9/27/2018 Sampled:9/27/2018
Completed: 10/2/2018 2:43:54 PM Expires: 10/02/19
Sampling Method: SOP SOP Client Method

Terpenes

Test result %

| | |
|-------------------------------|-------------|
| Cedrol | ND |
| (1S)-(+)-3-Carene | ND |
| Limonene | ND |
| (1R)-Endo-(+)-Fenchyl Alcohol | ND |
| (-)-Alpha-Bisabolol | ND |
| alpha Bisabolol | ND |
| p-Mentha-1,5-diene | ND |
| beta Myrcene | ND |
| alpha-Cedrene | ND |
| alpha-Humulene | ND |
| alpha-pinene | ND |
| alpha Terpinene | ND |
| beta Pinene | ND |
| Borneol | ND |
| Camphene | ND |
| Camphor | ND |
| Caryophyllene Oxide | ND |
| cis Nerolidol | ND |
| Eucalyptol | ND |
| Farnesene | ND |
| Fenchone | ND |
| gamma Terpinene | ND |
| Geraniol | ND |
| Geranyl-Acetate | ND |
| Guaiol | ND |
| Hexahydrothymol | ND |
| Isoborneol | ND |
| Isopulegol | ND |
| Linalool | 0.04 |
| Nerol | ND |
| Ocimene | ND |
| Pulegone | ND |
| Sabinene | ND |
| Sabinene-Hydrate | ND |
| Terpineol | ND |
| Terpinolene | ND |
| trans caryophyllene | ND |
| trans-Nerolidol | ND |
| Valencene | ND |
| Total | 0.04 |





Green Roads

5150 SW 48TH WAY DAVIE
FL, USA 33314
(844) 747-3367
LAURA@GREENROADSWORLD.COM



SAMPLE:D809114-03

METRC/Biotrack#N/A **Harvest/Lot ID: GC2018HB**
Batch#: GC2018HB, Batch Size: N/A -grams
Ordered: 9/27/2018 Sampled:9/27/2018
Completed: 10/2/2018 2:43:54 PM Expires: 10/02/19
Sampling Method: SOP SOP Client Method

| Pesticides | LOQ | Action Level | Result | Units | Type |
|---------------------|------|--------------|--------|-------|----------------------------------------------------|
| Abamectin | 0.01 | 0.5 | ND | ppm | Insecticide |
| Acephate | 0.01 | 0.4 | ND | ppm | Insecticide |
| Acetamprid | 0.01 | 0.2 | ND | ppm | Insecticide |
| Aldicarb | 0.01 | 0.4 | ND | ppm | Insecticide, Nematicide |
| Azoxystrobin | 0.01 | 0.2 | ND | ppm | Fungicide |
| Bifenazate | 0.01 | 0.2 | ND | ppm | Insecticide |
| Bifenthrin | 0.01 | 0.2 | ND | ppm | Acaricide, Insecticide |
| Boscalid | 0.01 | 0.4 | ND | ppm | Fungicide |
| Carbaryl | 0.01 | 0.2 | ND | ppm | Insecticide |
| Carbofuran | 0.01 | 0.2 | ND | ppm | Insecticide, Nematicide |
| Chlorantraniliprole | 0.01 | 0.2 | ND | ppm | Insecticide |
| Chlorpyrifos | 0.01 | 0.2 | ND | ppm | Organophosphate Insecticide |
| Clofentezine | 0.01 | 0.2 | ND | ppm | Tetrazine Acaricide |
| Cyfluthrin | 0.01 | 2 | ND | ppm | Pyrethroid Insecticide |
| Cypermethrin | 0.01 | 1 | ND | ppm | Pyrethroid Insecticide, Veterinary substance |
| Daminozide | 0.01 | 1 | ND | ppm | Plant growth regulator |
| DDVP (Dichloroyos) | 0.01 | 0.1 | ND | ppm | Organophosphate Insecticide, Acaricide, Metabolite |
| Diazinon | 0.01 | 0.2 | ND | ppm | Organophosphate Insecticide, Acaricide, Repellent |
| Dimethoate | 0.01 | 0.2 | ND | ppm | Organophosphate Insecticide, Acaricide, Metabolite |
| Ethoprophos | 0.01 | 0.2 | ND | ppm | Insecticide, Nematicide |
| Etofenprox | 0.01 | 0.4 | ND | ppm | Pyrethroid Insecticide |
| Etoxazole | 0.01 | 0.2 | ND | ppm | Diphenyl oxazoline Acaricide |
| Fenoxycarb | 0.01 | 0.2 | ND | ppm | Carbamate Insecticide |
| Fenpyroximate | 0.01 | 0.4 | ND | ppm | Pyrazolium Acaricide, Insecticide |
| Fipronil | 0.01 | 0.4 | ND | ppm | Phenylpyrazole Insecticide |
| Flonicamid | 0.01 | 1 | ND | ppm | Pyridine Insecticide, Aphicide |
| Fludioxonil | 0.01 | 0.4 | ND | ppm | Phenylpyrrole Fungicide |
| Hexythiazox | 0.01 | 1 | ND | ppm | Carboxamide Acaricide |

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



Green Roads

5150 SW 48TH WAY DAVIE
FL, USA 33314
(844) 747-3367
LAURA@GREENROADSWORLD.COM



SAMPLE:D809114-03

METRC/Biotrack#N/A **Harvest/Lot ID: GC2018HB**
Batch#: GC2018HB, Batch Size: N/A -grams
Ordered: 9/27/2018 Sampled:9/27/2018
Completed: 10/2/2018 2:43:54 PM Expires: 10/02/19
Sampling Method: SOP SOP Client Method

| Pesticides | LOQ | Action Level | Result | Units | Type |
|--------------------|------|--------------|--------|-------|-----------------------------------------------------|
| Imazalil | 0.01 | 0.2 | ND | ppm | Imidazole Fungicide |
| Methyl Parathion | 0.01 | 0.2 | ND | ppm | Organophosphate Insecticide |
| Imadacloprid | 0.01 | 0.4 | ND | ppm | Neonicotinoid Insecticide |
| Kresoxim-methyl | 0.01 | 0.4 | ND | ppm | Strobilurin Fungicide, Bactericide |
| Malathion | 0.01 | 0.2 | ND | ppm | Organophosphate Insecticide, Acaricide |
| Metalaxyl | 0.01 | 0.2 | ND | ppm | Phenylamide Fungicide |
| Methiocarb | 0.01 | 0.2 | ND | ppm | Carbamate Insecticide, Molluscicide, Bird repellent |
| Methomyl | 0.01 | 1 | ND | ppm | Carbamate Insecticide, Acaricide, Metabolite |
| Myclubtanil | 0.01 | 0.2 | ND | ppm | Triazole Fungicide |
| Naled | 0.01 | 0.5 | ND | ppm | Organophosphate Insecticide, Acaricide |
| Oxamyl | 0.01 | 1 | ND | ppm | Carbamate Insecticide, Acaricide, Nematicide |
| Paclobutrazol | 0.01 | 0.4 | ND | ppm | Triazole Plant growth regulator; Fungicide |
| Permethrins | 0.01 | 0.2 | ND | ppm | Pyrethroid Insecticide |
| Phosmet | 0.01 | 0.2 | ND | ppm | Organophosphate Insecticide, Acaricide |
| Piperonyl butoxide | 0.01 | 2 | ND | ppm | Cyclic aromatic; Performance enhancer, Synergist |
| Prallethrin | 0.01 | 0.2 | ND | ppm | Synthetic pyrethroid Insecticide |
| Propiconazole | 0.01 | 0.4 | ND | ppm | Triazole Fungicide |
| Propoxur | 0.01 | 0.2 | ND | ppm | Carbamate Insecticide, Acaricide |
| Pyrethrins | 0.01 | 1 | ND | ppm | Insecticide |
| Pyridaben | 0.01 | 0.2 | ND | ppm | Pyridazinone Insecticide, Acaricide |
| Spinosad | 0.01 | 0.2 | ND | ppm | Insecticide |
| Spiromesifen | 0.01 | 0.2 | ND | ppm | Tetronic acid Insecticide |
| Spirtetramat | 0.01 | 0.2 | ND | ppm | Tetramic acid Insecticide |
| Spiroxamine | 0.01 | 0.4 | ND | ppm | Morpholine Fungicide |
| Tebuconazole | 0.01 | 0.4 | ND | ppm | Triazole Fungicide |
| Thiacloprid | 0.01 | 0.2 | ND | ppm | Neonicotinoid Insecticide, Molluscicide |
| Thiamethoxam | 0.01 | 0.2 | ND | ppm | Neonicotinoid Insecticide |
| Trifloxystrobin | 0.01 | 0.2 | ND | ppm | Strobilurin Fungicide |

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



Green Roads

5150 SW 48TH WAY DAVIE
FL, USA 33314
(844) 747-3367
LAURA@GREENROADSWORLD.COM



SAMPLE:D809114-03

METRC/Biotrack#N/A **Harvest/Lot ID: GC2018HB**
Batch#: GC2018HB, Batch Size: N/A -grams
Ordered: 9/27/2018 Sampled:9/27/2018
Completed: 10/2/2018 2:43:54 PM Expires: 10/02/19
Sampling Method: SOP SOP Client Method

| Residual solvent | Action Level(ppm) | Pass/Fail | Results(ppm) |
|---------------------|-------------------|-----------|--------------|
| Propane | 5000 | N/A | ND |
| iso-Butane | 5000 | N/A | ND |
| n-Butane | 5000 | Pass | 9.89 |
| neo-pentane | 5000 | N/A | ND |
| Methanol | 3000 | N/A | ND |
| Ethylene-oxide | 50 | N/A | ND |
| iso-Pentane | 5000 | N/A | ND |
| Ethanol | 5000 | Pass | 29.60 |
| n-Pentane | 5000 | N/A | ND |
| Ethyl Ether | 5000 | N/A | ND |
| Acetone | 5000 | Pass | 45.40 |
| 2,2-Dimethylbutane | 290 | N/A | ND |
| 2-Propanol | 5000 | N/A | ND |
| Acetonitrile | 410 | N/A | ND |
| Dichloromethane | 600 | N/A | ND |
| 2-Methylpentane | 290 | N/A | ND |
| 2,3-Dimethylbutane | 290 | N/A | ND |
| 3-Methylpentane | 290 | N/A | ND |
| n-Hexane | 290 | Pass | 3.55 |
| Ethyl acetate | 5000 | N/A | ND |
| 2-Butanol | 5000 | N/A | ND |
| Tetrahydrofuran | 720 | N/A | ND |
| Cyclohexane | 3880 | N/A | ND |
| Isopropyl Acetate | 5000 | N/A | ND |
| Benzene | 2 | N/A | ND |
| Heptane | 5000 | N/A | ND |
| 1,4-Dioxane | 380 | N/A | ND |
| 2-Ethoxyethanol | 160 | N/A | ND |
| Toluene | 890 | N/A | ND |
| Ethylbenzene | 2170 | N/A | ND |
| 1,3-Dimethylbenzene | 890 | N/A | ND |
| 1,4-Dimethylbenzene | 2170 | N/A | ND |
| 1,2-Dimethylbenzene | 2170 | N/A | ND |
| Butanes | 5000 | Pass | 9.89 |
| Hexanes | 290 | Pass | 3.55 |
| Pentanes | 5000 | N/A | ND |
| Xylenes | 2170 | N/A | ND |

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



Green Roads

5150 SW 48TH WAY DAVIE
FL, USA 33314
(844) 747-3367
LAURA@GREENROADSWORLD.COM



SAMPLE:D809114-03

METRC/Biotrack#N/A **Harvest/Lot ID: GC2018HB**
Batch#: GC2018HB, Batch Size: N/A -grams
Ordered: 9/27/2018 Sampled:9/27/2018
Completed: 10/2/2018 2:43:54 PM Expires: 10/02/19
Sampling Method: SOP SOP Client Method

Cannabinoid Profile Test Result-Analysis Method :SOP.T.40.020, SOP.T.30.050

Reagent LOT ID # Dilution id factor#C filter id factor#C
Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L).

Analytical Batch:B8J0012

Mycotoxin Analysis-Analysis MethodSOP.T.30.060, SOP.T.40.060

| Analyte# | Results#C | Action Level#C |
|--------------|-----------|----------------|
| Ochratoxin A | ND | 0.02 |
| Aflatoxin B1 | ND | 0.02 |
| Aflatoxin B2 | ND | 0.02 |
| Aflatoxin G1 | ND | 0.02 |
| Aflatoxin G2 | ND | 0.02 |

Aflatoxins B1, B2, G1, G2, and Ochratoxins A testing using LC-MS. (Method: SOP.T.30.060 for Sample Preparation and SOP.T40.060 Procedure for Mycotoxins Quantification Using LCMS. LOQ 1.0 ppb). Total Aflatoxins (Aflatoxin B1, B2, G1, G2) must be <20µg/Kg. Ochratoxins must be <20µg/Kg.

Analytical Batch:B8J0010

Micro Analysis-Analysis method :SOP.T.40.043

| Pathogens# | Results#C |
|-----------------------|------------------|
| Aspergillus fumigatus | Absent in 1 gram |
| Salmonella | Absent in 1 gram |
| Escherichia coli | Absent in 1 gram |
| Aspergillus niger | Absent in 1 gram |
| Aspergillus flavus | Absent in 1 gram |
| Aspergillus terreus | Absent in 1 gram |

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.T.40.043) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus flavus, Aspergillus niger, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

Analytical Batch: B8J0001



Green Roads

5150 SW 48TH WAY DAVIE
FL, USA 33314
(844) 747-3367
LAURA@GREENROADSWORLD.COM



SAMPLE:D809114-03

METRC/Biotrack#N/A **Harvest/Lot ID: GC2018HB**
Batch#: GC2018HB, Batch Size: N/A -grams
Ordered: 9/27/2018 Sampled:9/27/2018
Completed: 10/2/2018 2:43:54 PM Expires: 10/02/19
Sampling Method: SOP SOP Client Method

Pesticide Analysis-Analysis Method:SOP.T.30.060, SOP.T.40.060

solvent/reagent lot/ID # Dilution factor #X
Pesticide screen is performed using LC-MS which can screen down to below single digit ppb concentrations for regulated Pesticides. Currently we analyze for 57 Pesticides. (Method: SOP.T.30.060 Sample Preparation for Pesticides Analysis via LCMSMS and SOP.T40.060 Procedure for Pesticide Quantification Using LCMS).

Analytical Batch :B8J0010

filter lot /ID #X

Heavy Metals Analysis-Analysis-Method:SOP.T.40.050, SOP.T.30.052

solvent/reagent lot/ID # Dilution factor #X
Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals using Method SOP.T.30.052 Sample Preparation for Heavy Metals Analysis via ICP-MS and SOP.T.40.050 Heavy Metals Analysis via ICP-MS.

Analytical Batch: B8J0002

filter lot /ID #X

| Metal | Result | Action-Level |
|---------|--------|--------------|
| Arsenic | ND | 1.5 |
| Cadmium | ND | 0.5 |
| Lead | ND | 0.5 |
| Mercury | ND | 3 |

Abbreviation:ppm=Parts Per Million

Residual SolventsAnalysis Method:SOP.T.40.032

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. Currently we analyze for 33 Residual solvents. (Method: SOP.T.30.042 Residual Solvents Analysis via GC-MS).

Analytical Batch :B8J0008

Terpenes screening-Analysis-Method:SOP.T.40.090

Terpenoid profile screening is performed using GC-MS/MS TQ-8040 with Liquid Injection (Gas Chromatography - Mass Spectrometer Triple Quad) which can screen 39 terpenes using Method SOP.T.40.091 Terpenoid Analysis Via GC-MS/MS.

Analytical Batch :B8J0005